UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/677,870	10/03/2000	Woo Hyuk Choi	2658-0240P	6124	
2292 7590 06/28/2007 BIRCH STEWART KOLASCH & BIRCH PO BOX 747			EXAMINER		
			RUDE, TIMOTHY L		
FALLS CHUR	.CH, VA 22040-0747		ART UNIT	PAPER NUMBER	
			2871		
			NOTIFICATION DATE	DELIVERY MODE	
		·	06/28/2007	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

					El
Office Action Summary		Application	ı No.	Applicant(s)	
		09/677,870)	CHOI ET AL.	
		Examiner		Art Unit	
		Ťimothy L.	Rude	2871	
The Period for Re	e MAILING DATE of this communication app	ears on the	cover sheet with the c	correspondence ad	ldress
A SHORT WHICHEV - Extensions after SIX (6) - If NO period - Failure to re Any reply re	ENED STATUTORY PERIOD FOR REPLY (ER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 MONTHS from the mailing date of this communication. If for reply is specified above, the maximum statutory period will ply within the set or extended period for reply will, by statute ceived by the Office later than three months after the mailing int term adjustment. See 37 CFR 1.704(b).	ATE OF THI 36(a). In no ever will apply and will c, cause the applic	S COMMUNICATION of, however, may a reply be tin expire SIX (6) MONTHS from existion to become ABANDONE	N. nely filed the mailing date of this co	
Status					
2a)⊠ This 3)⊡ Sinc	ponsive to communication(s) filed on <u>13 M</u> action is FINAL . 2b) ☐ This e this application is in condition for allowar ed in accordance with the practice under E	action is no	or formal matters, pro		e merits is
Disposition o	f Claims				
4a) 0 5)∏ Claii 6)⊠ Claii 7)∏ Claii	m(s) <u>1,3-10,12,13,15-18 and 21-24</u> is/are post the above claim(s) is/are withdraw m(s) is/are allowed. m(s) <u>1,3-10,12,13,15-18 and 21-24</u> is/are rem(s) is/are objected to. m(s) are subject to restriction and/or	wn from con	sideration.		
Application P	apers				
10)∏ The d Appl Repl	specification is objected to by the Examine drawing(s) filed on is/are: a) acceptant may not request that any objection to the exacement drawing sheet(s) including the correct path or declaration is objected to by the Examine	epted or b)[drawing(s) be tion is require	held in abeyance. Seed if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CF	
Priority unde	r 35 U.S.C. § 119		,		
12)	owledgment is made of a claim for foreign b) Some * c) None of: Certified copies of the priority documents Certified copies of the priority documents	s have been s have been rity documer u (PCT Rule	received. received in Applicati nts have been receive 17.2(a)).	on No ed in this National	Stage
2)	eferences Cited (PTO-892) raftsperson's Patent Drawing Review (PTO-948) Disclosure Statement(s) (PTO/SB/08))/Mail Date	:	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate	

Art Unit: 2871

DETAILED ACTION

Claims

Claims 1, 3, 5-8, 10, 12, 15, 17, and 21-24 are amended. Claims 25-28 are canceled by Applicant.

Specification

The disclosure is objected to because of the following informalities: The specification, page 6, lines 15 and 16, refers to "applying a data signal to the pixel electrode". It is respectfully pointed out that capacitive coupling a signal and controlling a transistor to amplify or impedance match a signal is not considered the same as applying a signal to that which is driven by the transistor via the <u>drain electrode</u>.


Please note that application of an electrical signal requires a direct electrical connection, e.g., contact hole, pad, direct physical contact. The gate line is considered to apply a signal to the gate electrode and the data line is considered to apply a signal to the source electrode, and the transistor in turn <u>applies</u> a resultant signal (different signal) to the pixel electrode via the drain electrode. Portions of gate signals and data signals may also be capacitively coupled (as opposed to applied) to the pixel electrode. Please note that capacitive coupling does NOT apply the signal (the whole and unaltered signal), it merely allows an AC component of the signal to couple across an <u>electrical insulator</u>.


`Art Unit: 2871

Where applicant acts as his or her own lexicographer to specifically define a term of a claim contrary to its ordinary meaning, the written description must clearly redefine the claim term and set forth the uncommon definition so as to put one reasonably skilled in the art on notice that the applicant intended to so redefine that claim term. However, in this case, redefining "applying" an electrical signal would be considered repugnant to the usual meaning of the term. No term may be given a meaning repugnant to the usual meaning of the term [MPEP 608.01(o) [R-2]].

As a courtesy, cited but not applied is Matsueda, US PGPUB 2002/0145602. Matsueda provides in Figure 10 a plot of the difference between the input signals and output signals of a transistor diver circuit as used in an LCD. Many variations of transistor driving exist in the art, but they all have outputs that are different from both of the inputs.

Fig. 10





Art Unit: 2871

Figure 10(b) clearly shows Out1 and Out2 are not the same, and clearly they are not the same as the driving signals, IN [varies between VCC and GND] applied to the gate electrodes, and VDD [as the data signal of a data line] applied to the source electrodes. Out1 and Out2 are entirely different signals produced by amplification resulting from the applied inputs at the gate and source electrodes. Out1 and Out2 are NOT the same as the gate signal and they are NOT the same as the data signal. Passive matrix displays apply row and column voltages directly to the pixels; active matrix displays to not.

Please note: literally applying the "data signal" to the pixel electrode would result in all pixels along the data line being switched together despite the status of the gate line, thereby rendering the device inoperative. Also, <u>Applicant may correct the specification and the claims without the introduction of new matter</u> with a showing that the correct operation was well known in the art at the time the claimed invention was made.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2871

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1. Claims 1, 3, 5, 6, 8, 10, 12, 15, 17, 21-24, and 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al (Kim) USPAT 6,429,909 B1 in view of Song et al (Song) USPAT 6,313,889 B1.

As to claims 1, 8, 10, 17, 21, 23, and 26-27, Kim discloses in the third embodiment, Figures 6 and 7, (col. 6, line 35 through col. 7, line 5), a thin film transistor substrate in a liquid crystal display substrate comprising: pixel electrodes [col. 3, lines 17-21], data lines, 400, adjacent to each of two opposed sides of the pixel electrodes for applying data signals to the pixel electrodes via thin film transistors on the substrate [Abstract and Background of the Invention], gate lines, 100, for applying a gate signal, and an ITO [col. 5, lines 1-5] transparent pixel electrode, 600, for driving a liquid crystal cell, repair lines, 110 and 120, (Applicant's gate dummy patterns) adjacent to each of two opposed sides of the pixel electrodes, formed of the same material layer as the gate line (col. 6, lines 38-42 and col. 2, lines 10-17) and formed parallel to said data line, 100, and to overlap the pixel electrode, 600, and data line 400, to compensate for misalignment occurring along the data line,

Wherein the gate dummy pattern is formed to overlap [L3 and L4] with an edge portion of the pixel electrode (per Figures 6 and 7), and is separated by gate insulating layer, 200, thereby resulting in an aperture ratio increase of from about 5 to 6% per Applicant's enabling disclosure, page 8, lines 25-31.

Art Unit: 2871

FIG. 6





FIG.7



Kim does not explicitly disclose 1) a display wherein the gate dummy pattern is extending from or splitting off from gate line and extending substantially the entire length of the pixel electrodes.

Kim does not explicitly disclose 2) overlap [L3 or L4] by 0.5-1 µm.


Art Unit: 2871

Kim does not explicitly disclose 3) wherein the gate dummy patterns are physically located separate and apart from the gate lines.

Song teaches 1) and 3) the use of a redundant pattern that is integrated with the gate line and branches from the gate line in Figure 19A (G_{up} and G_{down} or 1a and 1b) wherein a dummy pattern extends substantially the entire length of the pixel electrode portion adjacent and parallel to the data line [portion running under right edge of pixel electrode in Figure 19A from below Gv2 to the horizontal portion between g and h] wherein the gate dummy patterns are physically located separate and apart from the gate lines [separated by cutting at the "X" marks, f and g, in Figure 19A], as a redundancy electrode for electrically connecting the gate line to the broken data line (col. 17, lines 4-67, especially col. 17, lines 47-54) to effect repairs.

Art Unit: 2871

FIG. 19A



Song is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to form the gate dummy pattern in such a manner as to serve as a redundancy electrode, wherein the gate dummy patterns are physically located separate and apart from the gate lines, for electrically connecting the gate line to the broken data line to effect repairs.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim with the

Art Unit: 2871

redundancy electrodes, wherein the gate dummy patterns are physically located separate and apart from the gate lines, for electrically connecting the gate line to the broken data line per Song.

Kim teaches 2) repair lines, 110 and 120, (Applicant's gate dummy pattern) formed of the same material layer as the gate line (col. 6, lines 38-42 and col. 2, lines 10-17) so as to extended vertically from the gate line, 100 (separated from data line, 400, by gate insulating layer, 200), and to overlap the pixel electrode, 600, and data line 400, to compensate for misalignment occurring along the data line.

Therefore the amount of overlap is an art-recognized results effective variable to compensate for misalignment occurring along the data line.

Therefore deriving the claimed range of 0.5-1 µm would take only ordinary skill in the art of liquid crystals to compensate for misalignment occurring along the data line (MPEP 2144.05 II).

Please note: in considering the disclosure of a reference, it is proper to take into account not only specific teachings of the reference but also the inferences which one skilled in the art would reasonably be expected to draw therefrom [MPEP 2144.01]. Examiner considers the applied references to adequately teach motivations and methods sufficient to lead one of ordinary skill in the art to form the claimed extensions of the gate lines to serve as both light blocking layers and as structures available to facilitate repairs as need be.


Art Unit: 2871

As to claim 5, Kim discloses the use of repair lines, 110 and 120, (Applicant's gate dummy pattern) as a black matrix (col. 6, lines 48-59 and col. 1, line 66 through col. 2, line 2).

As to claims 3 and 12, Kim discloses the thin film transistor substrate according to claims 1 and 2.

Kim teaches in Figure 13 wherein when the data line is broken, the use of forming holes and connections to the repair lines, 110 and 120, (Applicant's gate dummy pattern) and to a connecting pattern, 610, to repair a broken data line, 400, (col. 8, lines 1-15).


FIG. 13



Kim teaches in Figure 26 the use of repair lines, 104, (Applicant's gate dummy pattern used as a redundancy electrode) to connect the gate line to the data line (col. 13, lines 4-17).

Art Unit: 2871

FIG.26



Kim is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to form holes and connect gate dummy patterns to gate lines to repair a broken data line.


Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim by forming holes and connecting gate dummy patterns to gate lines to repair a broken data line.

Also as to claims 3 and 12, Kim discloses the thin film transistor substrate according to claims 1 and 2.

Art Unit: 2871

Song teaches, wherein when the data line is broken, the use of a redundant pattern in Figure 19A (G_{up} and G_{down} or 1a and 1b) as a redundancy electrode for electrically connecting the broken data line (col. 17, lines 4-67, especially col. 17, lines 47-54) to effect repairs.

FIG. 19A



Song is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to form the gate dummy pattern in such a manner as

Art Unit: 2871

to serve as a redundancy electrode for electrically connecting the gate line to the broken data line to effect repairs.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim with the redundancy electrodes for electrically connecting the gate line to the broken data line per Song.

As to claims 6, 15, 22, and 24, and Song teaches in Figure 18 a thin film transistor substrate further comprising: a storage capacitor (col. 15, lines 56-64) defined by a horizontal overlapping part, G_{h2} , between the gate line and the pixel electrode, PX. Song also teaches in Figure 18 an analogous overlapping portion, 21, of the data line, D, to permit a repair. Also, any two conductors separated by an insulator result in a capacitor as a matter of physics. Therefore the overlap region between the pixel electrode and the dummy pattern which are separated by an insulator necessarily forms a capacitor.

Song is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to form the gate dummy pattern in such a manner as to form a capacitor and to include a hole connected to the gate line and formed to permit a repair.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim with the capacitor, dummy pattern, and hole per Song.

Art Unit: 2871

As to claim 25, mere duplication of parts is not patentably distinct unless unexpected results are obtained.

2. Claim 25 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kim in view of Song as applied to claims above, and further in view of Cheng USPAT 5,657,101.

As to claim 25, Kim in view of Song discloses the display above.

Kim in view of Song does not explicitly disclose gate dummy patterns on both sides of the data line.

Cheng discloses patterns made from the gate metal layer (Applicant's first and second extension parts) on both sides of the data line in Figure 5d (col. 4, lines 26-61) to improve the aperture ratio.

Cheng is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add gate dummy patterns on both sides of the data line to improve the aperture ratio.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim in view of Song with the gate dummy patterns on both sides of the data line of Cheng to improve the aperture ratio.

3. Claims 4, 7, 9, 13, 16, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim in view of Song as applied to claims above, and further in view of Irie et al (Irie) USPAT 5,734,450.

As to claims 4, 9, 13, and 18, Kim in view of Song discloses the display above.

Kim in view of Song does not explicitly disclose a recess in the dummy pattern to make it easier to cut for purposes of repair, thereby disconnecting the gate dummy pattern from the gate line.


lrie teaches as prior art that a structure branching off the gate line may be made narrow (Applicant's recess), and not overlapping the data line, to facilitate laser cutting (col. 2, lines 7-20) for purposes of repair (col. 2, lines 61-67) which allows for easy correction of point defects.

Irie is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a non-overlapping recess in the gate dummy pattern to facilitate laser cutting for purposes of repair, which allows for easy correction of point defects.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim in view of Song with the non-overlapping recess in the gate dummy pattern to facilitate laser cutting for purposes of repair, which allows for easy correction of point defects.

Art Unit: 2871

FIG. 18



As to claims 7 and 16, Song teaches in Figures 18 and 19A a protrusion, 21, protruded from the data line in such a manner to overlap with the intended repair site

(Applicant's recess and narrowed portion of the gate dummy patterns), the structure of which would thereby shut off a light leaked between the gate dummy pattern and the gate line (col. 15, lines 42-63). Note that in considering the disclosure of a reference, it is proper to take into account not only specific teachings of the reference but also the inferences which one skilled in the art would reasonably be expected to draw therefrom (MPEP 2144.01).

Song is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a protrusion in the data line, formed in such a manner to overlap with the area of the recess and narrowed portion of the gate dummy patterns, to permit a repair.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Kim with the protrusion of Song to permit a repair.

Response to Arguments

Applicant's arguments filed on 13 March 2007 have been fully considered but they are not persuasive.

Applicant's ONLY arguments are as follows:

(1) Possible claim amendments were discussed during 2, 5, 9, and 16 January 2007 interviews to clearly patentably define over the applied prior art. Specification is proper.

Art Unit: 2871

(2) The lines of Kim [110 and 120] are formed separately from the gate line per Kim, col. 2, lines 10-17, are not disclosed as "gate dummy patterns", and are not disconnected to effect repairs.

- (3) The structure of Song is more complex, has a different circuit layout, and Kim does not say the display of Kim needs improvement, so one would not be motivated to combine.
- (4) Kim's aperture ration does not need to be improved, so one would not combine Cheng.
- (5) Applicant's cannot find a recess in Figure 2, so the combination would not have a protrusion over the recess and would be inoperable.
- (6) Dependent claims are allowable because the independent claims are allowable.

Examiner's responses to Applicant's ONLY arguments are as follows:

(1) It is respectfully pointed that the concept of amending as need be to overcome rejections was discussed, but no specific claim language was acknowledged as being sufficient to overcome all of the applied prior art. If it were know that certain amendments would fully overcome all of the applied prior art, it would have been recorded in an interview summary. After careful consideration, the newly added limitations are properly rejected above. Some new limitations are met by Kim, while the rest of the new limitations are met by Song.

Art Unit: 2871

Examiner has fully considered Applicants arguments as to the specification and maintains objection is proper as explained further in said objection.

(2) It is respectfully pointed that the lines of Kim are formed of the same gate line metal layer as the gate line and are separated from the gate line [Kim's separately formed] upon etching away the balance of the gate line metal layer material (most common method in the art of forming such structures) despite wording in col. 2, lines 10-17; see col. 8, lines 37-40. The structures of Kim is well known in the art to be that of "gate dummy patterns" despite terminology as used by Kim because said structures are patterned from the gate metal layer. Please note: device claims are drawn to structural limitations despite terminology/lexicography. Applicant may define terms not repugnant to normal usage, but mere descriptions do not meet the standard for a definition, so mere descriptions in the Specification may not be read into the claims. Also, intended use is not claimed.

References may be relied upon for all they would have conveyed to one of ordinary skill in the art. The presently applied prior art contains robust teachings regarding the use portions of the gate metal layer [Applicant's gate dummy patterns] to provide light shielding and to facilitate conductive paths to facilitate repair.

(3) It is respectfully pointed that adding the additional complexity of Song would obviously increase the number of possible repairs that can be made because there are more available conductive lines to run signals in a greater number of different ways.

This is considered ample motivation to combine Song to Kim to increase the facilitation of effecting repairs per rejection above. Also, a primary reference virtually never


Art Unit: 2871

anticipates the need for an improvement taught by the secondary reference; anything can be improved. Examiner cannot find anything that is considered to teach away.

It is also respectfully pointed that the dual gate lines of Song merely add redundancy that would not confuse one of ordinary skill in the art. Please note: in considering the disclosure of a reference, it is proper to take into account not only specific teachings of the reference but also the inferences which one skilled in the art would reasonably be expected to draw therefrom [MPEP 2144.01]. Examiner considers the applied references to adequately teach motivations and methods sufficient to lead one of ordinary skill in the art to form the claimed extensions of the gate lines to serve as both light blocking layers and as structures available to increase facilitation of repairs as need be, per rejections above.

- (4) It is respectfully pointed that a primary reference virtually never anticipates the need for an improvement taught by the secondary reference; anything can be improved. An aperture ratio less than infinity is less than ideal. Examiner cannot find anything that is considered to teach away.
- (5) It is respectfully pointed that recess is on the left side of the narrow part, 44, that leads to the gate electrode, 41, in Figure 2 below:

Art Unit: 2871



The teaching of Irie would be more than sufficient to render the use of a recess obvious to one having ordinary skill in the art at the time the claimed invention was made, and as evidenced by the prior art, would not be confusing with respect to the need for light blocking layers (no teaching away). One skilled in the art does not forget fundamentals (like light blocking) when incorporating an added feature (like a recess/narrowed portion). Examiner cannot see any reason to believe one of ordinary skill in the art would be mislead into creating an inoperable device based upon the combination of applied prior art. Examiner has considered all of Applicant's arguments and conclusory statements and maintains rejections are proper. Applicant's burden to overcome rejections is covered in the MPEP. It is respectfully pointed out that

Art Unit: 2871

conclusory statements and arguments based upon mere contrary opinion do not overcome rejections.

(6) In so far as Applicant has not argued rationale for rejection of dependent claims, Applicant has thereby acquiesced. Applicant's arguments must be timely. Prosecution is closed upon Final Rejection. After Final arguments not relevant to withdrawal of finality and/or placing objected to claims into condition for allowance are considered when prosecution is reopened.

Conclusion

Applicant's amendment necessitated any new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2871

Page 23

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-

2301. The examiner can normally be reached on Mon-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David C. Nelms can be reached on (571) 272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Rude Examiner Art Unit 2871

tir

Andrew Schechter PRIMANY EXAMINER